

**American Housing Survey - Selected Elements Related to Healthy Homes  
2011 Anaheim-Santa Ana (Orange County), CA and 2011 National**

**National statistic only reported if Metropolitan Statistical Area (MSA) is  $\geq 20\%$ (relative) and 0.25% (absolute) different from national (otherwise "-" is listed).**

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National
Total Occupied Units(,000)	983	114,907	567	76,091	416	38,816	22	2,103	58	4,126	111	16,060	95	33,161
<b>GENERAL</b>														
Owner occupied(,000)		76,091		76,091		.		907		1,568		6,166		16,552
Renter occupied(,000)		38,816		.		38,816		1,196		2,558		9,894		16,609
Owner occupied		66.2%		100%		<0.1%		43.1%		38.0%		38.4%		49.9%
Renter occupied		33.8%		<0.1%		100%		56.9%		62.0%		61.6%		50.1%
<hr/>														
<b>Units in Structure</b>														
1, detached	51.8%	64.2%	76.3%	-	18.4%	28.6%	30.2%	44.3%	6.2%	39.6%	30.7%	42.7%	41.9%	-
1, attached	12.1%	5.9%	11.7%	5.4%	12.6%	6.8%	10.7%	5.1%	2.0%	3.4%	13.0%	6.1%	10.9%	7.9%
2 to 4	10.6%	7.8%	2.3%	1.9%	21.9%	-	20.6%	14.8%	28.0%	17.8%	20.1%	13.6%	14.5%	-
5 to 9	6.6%	4.7%	1.5%	0.8%	13.4%	-	16.5%	6.9%	21.1%	10.3%	8.6%	-	12.2%	7.4%
10 to 19	6.0%	4.4%	1.8%	0.7%	11.8%	-	6.3%	8.1%	18.7%	7.3%	11.0%	6.9%	6.8%	-
20 to 49	4.6%	3.2%	0.5%	-	10.2%	-	3.9%	6.5%	8.0%	-	9.6%	5.8%	3.4%	6.1%
50 or more	5.2%	3.6%	0.8%	-	11.3%	8.8%	10.2%	7.0%	15.1%	7.0%	4.4%	6.1%	5.5%	8.7%
Manufactured /mobile home or trailer	3.1%	6.3%	5.2%	7.5%	0.3%	3.9%	1.5%	7.4%	1.0%	7.8%	2.6%	10.3%	4.8%	1.3%
<hr/>														
<b>Year Structure Built</b>														
Post-2000	6.3%	13.8%	7.0%	15.6%	5.2%	10.2%	0.7%	5.0%	9.3%	4.4%	4.0%	9.3%	6.7%	10.9%
Post-1980	28.2%	38.7%	29.2%	42.1%	26.8%	32.2%	17.7%	-	32.8%	22.4%	23.0%	31.1%	25.8%	-
Pre-1980	71.8%	-	70.8%	-	73.2%	-	82.3%	-	67.2%	-	77.0%	-	74.2%	-
Pre-1960	16.9%	30.9%	17.8%	29.5%	15.7%	33.4%	33.6%	47.2%	12.4%	45.7%	26.1%	34.6%	26.1%	42.7%
Pre-1940	1.7%	14.7%	1.6%	12.8%	1.9%	18.5%	2.7%	27.4%	0.8%	24.4%	1.7%	17.2%	2.2%	22.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Foundation (for 1-unit not manufactured)														
1-Unit not manufactured(,000)	628	80,505	499	66,752	129	13,753	9	1,040	5	1,772	49	7,844	50	18,949
With a basement under all of house	0.2%	32.7%	0.1%	34.4%	0.3%	24.0%	<0.1%	32.2%	<0.1%	22.1%	<0.1%	27.3%	<0.1%	31.9%
With a basement under part of house	0.7%	10.6%	0.9%	11.3%	0.3%	7.2%	15.5%	7.9%	<0.1%	8.7%	<0.1%	7.3%	<0.1%	8.1%
With a crawl space	13.3%	22.1%	13.5%	21.4%	12.3%	25.3%	13.1%	24.1%	6.6%	40.2%	17.1%	25.9%	17.7%	-
On a concrete slab	84.8%	33.1%	84.6%	31.5%	85.9%	41.1%	71.4%	29.7%	93.4%	23.7%	81.7%	36.4%	81.1%	38.2%
In some other way	1.0%	1.6%	0.9%	1.4%	1.3%	2.4%	<0.1%	6.1%	<0.1%	5.3%	1.2%	3.2%	1.2%	1.6%
<hr/>														
<b>EXTERIOR</b>														
External Building Conditions(non multiunit)														
Sagging roof	1.0%	2.0%	0.8%	1.8%	1.5%	2.9%	5.1%	9.0%	<0.1%	11.4%	0.6%	3.8%	2.7%	-
Missing roofing material	1.8%	3.6%	1.5%	3.4%	3.1%	4.1%	6.7%	9.9%	7.0%	14.3%	6.3%	-	0.6%	3.8%
Hole in roof	0.7%	1.5%	0.5%	1.3%	1.7%	2.4%	15.7%	7.6%	6.3%	11.9%	2.8%	3.4%	<0.1%	1.9%
Missing bricks, siding, other outside wall material	1.2%	2.5%	0.7%	2.2%	3.2%	3.9%	19.8%	10.7%	<0.1%	14.2%	3.1%	5.0%	5.6%	3.2%
Sloping outside walls	1.0%	-	0.9%	-	1.6%	2.2%	7.8%	5.9%	<0.1%	8.4%	0.6%	2.3%	<0.1%	1.5%
Boarded up windows	0.4%	1.0%	0.3%	0.9%	0.5%	1.6%	<0.1%	4.5%	4.0%	6.1%	0.8%	2.6%	0.4%	1.5%
Broken windows	2.1%	4.2%	1.4%	3.7%	4.6%	6.6%	4.7%	14.1%	7.6%	18.1%	6.5%	8.6%	<0.1%	4.8%
Bars on windows	2.5%	-	2.7%	-	1.7%	3.8%	<0.1%	4.2%	2.3%	7.5%	1.0%	4.8%	3.1%	8.9%
Foundation crumbling or has open crack or hole	5.8%	-	4.9%	-	9.4%	6.8%	31.6%	15.0%	3.7%	18.5%	11.8%	8.4%	4.9%	6.4%
None of the above	85.8%	-	87.7%	-	78.2%	-	59.3%	-	78.0%	50.3%	76.0%	-	84.9%	-
None of the above(excluding bars)	87.6%	-	89.6%	-	79.6%	-	59.3%	-	78.0%	53.3%	77.0%	-	88.1%	-
Water Leakage During Last 12 Months														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
With leakage from outside structure	6.7%	11.0%	7.4%	11.5%	5.9%	9.8%	13.7%	17.4%	9.3%	29.4%	10.2%	-	10.0%	-
Roof	4.6%	5.7%	5.3%	-	3.6%	4.9%	11.7%	-	5.3%	16.8%	7.8%	-	6.3%	-
Basement leak	<0.1%	2.8%	<0.1%	3.4%	<0.1%	1.4%	<0.1%	2.5%	<0.1%	5.1%	<0.1%	1.9%	<0.1%	2.6%
Walls, closed windows, or doors leak	1.6%	2.2%	0.9%	1.8%	2.6%	-	10.4%	4.7%	3.5%	8.9%	4.2%	2.8%	2.2%	2.9%
Other or Unknown exterior Leak	1.1%	-	1.2%	-	0.9%	1.3%	<0.1%	2.9%	1.3%	3.3%	0.7%	1.3%	1.7%	1.4%
<hr/>														
<b>INTERIOR</b>														
<b>Damage</b>														
Holes in floors	0.8%	-	0.4%	0.7%	1.4%	-	11.0%	7.2%	6.3%	9.9%	1.7%	2.1%	1.5%	-
Open cracks or holes	2.8%	5.2%	2.5%	4.2%	3.3%	7.1%	14.0%	18.1%	6.7%	29.9%	4.2%	8.6%	3.5%	6.7%
Broken plaster or peeling paint	1.5%	2.1%	0.8%	1.5%	2.5%	3.1%	10.4%	8.3%	7.0%	18.6%	4.2%	-	0.7%	3.2%
<hr/>														
<b>Water Leakage During Last 12 Months</b>														
With leakage from inside structure	9.3%	-	8.1%	-	11.0%	-	11.2%	16.2%	11.6%	25.1%	8.5%	11.0%	13.4%	10.0%
Fixtures backed up or overflowed	2.4%	1.9%	1.7%	-	3.3%	2.3%	8.5%	4.9%	1.5%	6.6%	2.0%	-	2.1%	-
Pipes leaked	4.0%	-	4.1%	2.9%	3.9%	4.9%	8.3%	-	3.7%	12.5%	4.1%	5.1%	6.3%	4.5%
Broken water heater	0.9%	-	0.8%	-	1.0%	-	<0.1%	1.4%	0.4%	2.0%	1.5%	1.0%	<0.1%	0.7%
Other or Unknown	2.3%	-	1.6%	-	3.3%	-	<0.1%	3.2%	7.3%	-	1.9%	3.0%	5.0%	2.9%
<hr/>														
<b>Rodents</b>														
Signs of rats in last 3 mon.	1.4%	1.0%	1.9%	0.9%	0.7%	1.3%	3.4%	-	1.0%	3.6%	0.9%	1.8%	0.5%	1.4%
Signs of mice in last 3 mon.	3.3%	11.1%	3.6%	11.7%	3.0%	10.0%	8.7%	17.7%	2.6%	20.0%	5.9%	12.5%	0.7%	9.9%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Signs of rodents, not sure which kind in last 3 mon.	0.8%	-	0.6%	-	1.0%	-	<0.1%	1.5%	0.9%	1.6%	3.2%	1.0%	0.3%	0.7%
<hr/>														
<b>Electrical</b>														
No electrical wiring	<0.1%	-	<0.1%	-	<0.1%	0.2%	<0.1%	3.2%	<0.1%	0.1%	<0.1%	0.3%	<0.1%	0.1%
Exposed wiring	1.0%	1.6%	1.1%	-	0.9%	2.1%	3.3%	6.2%	1.0%	3.9%	1.4%	2.5%	0.7%	1.6%
Rooms without electric outlets	0.6%	-	0.7%	-	0.6%	1.2%	1.8%	6.5%	5.5%	2.2%	0.2%	1.4%	0.1%	1.0%
Fuses/breakers blown in last 3 mon.	7.3%	9.4%	7.0%	9.4%	7.8%	9.4%	10.6%	14.7%	5.7%	15.1%	9.2%	-	9.0%	-
<hr/>														
<b>Sanitation</b>														
Lacking complete kitchen facilities	5.4%	1.7%	0.7%	-	12.0%	4.0%	18.0%	8.4%	86.3%	44.4%	6.5%	3.3%	11.7%	2.8%
Lacking some or all plumbing facilities	1.7%	1.3%	0.8%	-	3.0%	2.1%	78.0%	-	<0.1%	0.0%	0.9%	2.1%	0.4%	1.8%
Water not safe to drink	16.9%	8.3%	11.4%	6.2%	24.4%	12.3%	29.4%	14.7%	25.6%	14.9%	30.1%	13.1%	34.6%	10.1%
Water stoppage in last 3 mon.	4.6%	-	3.5%	-	6.1%	-	6.8%	8.3%	3.0%	9.4%	8.2%	4.8%	7.2%	4.0%
No flush toilets working some time in last 3 mon.	1.5%	1.9%	1.0%	-	2.2%	3.4%	6.6%	-	4.2%	9.8%	5.6%	3.4%	2.6%	-
With sewage disposal breakdowns in last 3 mon.	1.2%	-	1.0%	1.2%	1.4%	-	8.0%	3.7%	1.2%	5.0%	1.9%	-	0.9%	1.6%
Septic tank, cesspool, chemical toilet	0.1%	19.6%	0.2%	25.7%	<0.1%	7.5%	<0.1%	15.6%	<0.1%	16.1%	0.1%	14.7%	0.2%	1.3%
With septic tank or cesspool breakdowns in last 3 mon.	<0.1%	0.3%	<0.1%	0.3%	<0.1%	0.2%	<0.1%	0.8%	<0.1%	0.8%	<0.1%	0.4%	<0.1%	-
<hr/>														
<b>HEATING/FUEL</b>														
<b>Main Heating Equipment</b>														
Warm-air furnace	75.8%	-	87.0%	67.9%	60.5%	-	56.5%	-	50.8%	39.1%	52.3%	-	65.8%	-
Steam or hot water system	0.3%	11.0%	0.2%	9.7%	0.5%	13.5%	<0.1%	18.6%	0.5%	14.0%	1.3%	10.9%	0.1%	15.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Electric heat pump	1.5%	11.8%	1.9%	12.9%	1.0%	9.6%	<0.1%	7.1%	0.4%	4.8%	0.4%	9.7%	1.3%	8.5%
Built-in electric units	3.1%	4.2%	1.6%	2.6%	5.2%	7.4%	10.0%	5.2%	8.3%	5.6%	2.8%	5.9%	2.0%	3.9%
Floor, wall, or other built-in hot air without ducts	15.7%	3.9%	6.8%	2.4%	27.8%	6.9%	25.0%	7.0%	29.9%	5.6%	29.9%	6.7%	28.0%	5.2%
Room heaters with flue	0.5%	0.8%	0.2%	0.7%	0.9%	-	<0.1%	1.1%	0.2%	1.1%	1.3%	-	<0.1%	0.6%
Room heaters without flue	0.3%	1.0%	0.5%	0.8%	0.1%	1.2%	0.6%	2.5%	5.4%	25.2%	0.1%	2.2%	0.3%	0.7%
Portable electric heaters	1.3%	-	1.1%	-	1.5%	1.8%	7.3%	3.9%	0.9%	2.0%	5.6%	3.0%	0.4%	1.4%
Stoves	<0.1%	-	<0.1%	-	<0.1%	0.5%	<0.1%	4.0%	<0.1%	-	<0.1%	-	<0.1%	0.1%
Fireplace with inserts	<0.1%	-	<0.1%	0.2%	<0.1%	-	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	<0.1%
Fireplace without inserts	0.2%	-	<0.1%	-	0.4%	<0.1%	<0.1%	0.2%	0.2%	-	0.1%	-	0.1%	-
Other	0.3%	-	0.1%	-	0.6%	-	0.6%	1.1%	<0.1%	0.3%	1.5%	0.7%	0.2%	-
No heating equipment	0.9%	0.4%	0.6%	0.3%	1.4%	0.7%	<0.1%	1.1%	3.1%	0.7%	4.4%	0.6%	1.7%	0.7%
Cooking stove	0.1%	-	<0.1%	-	0.1%	-	<0.1%	0.2%	0.2%	-	0.1%	-	<0.1%	0.1%
<hr/>														
<b>Water Heating Fuel</b>														
Electricity	11.6%	41.3%	8.0%	39.0%	16.5%	45.7%	16.3%	38.7%	26.8%	39.0%	12.0%	46.9%	11.4%	31.9%
Gas, LP/bottled gas	88.1%	54.3%	91.9%	56.6%	83.0%	49.7%	83.7%	53.8%	72.9%	55.2%	87.8%	49.2%	88.4%	62.8%
Fuel oil	0.1%	4.1%	<0.1%	4.0%	0.3%	4.3%	<0.1%	6.5%	<0.1%	5.1%	<0.1%	3.6%	<0.1%	5.0%
Kerosene or other liquid fuel	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	-
Other	0.2%	-	0.1%	0.4%	0.2%	-	<0.1%	1.0%	0.3%	0.5%	0.3%	-	0.1%	-
Clothes Dryer,(000)	715	93,052	540	72,397	174	20,655	10	1,139	21	2,344	52	9,825	55	21,908
Have Clothes Dryer	72.7%	-	95.3%	-	41.9%	53.2%	44.4%	54.2%	36.4%	56.8%	46.3%	61.2%	58.1%	-
Electricity	25.6%	78.1%	22.0%	76.4%	36.6%	84.0%	24.6%	78.9%	55.5%	82.5%	30.4%	82.1%	22.2%	74.3%
Gas, LP gas (liquid propane)	74.4%	21.8%	78.0%	23.5%	63.2%	15.8%	75.4%	21.0%	44.5%	17.5%	69.3%	17.8%	77.8%	25.6%
Other	0.1%	-	<0.1%	<0.1%	0.2%	-	<0.1%	0.1%	<0.1%	<0.1%	0.3%	-	<0.1%	0.1%

---

**Heating Problems**

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Uncomfortably cold for 24 hours or more last winter	4.2%	9.1%	2.7%	7.7%	6.6%	12.5%	27.3%	43.7%	5.7%	22.2%	5.4%	13.7%	7.4%	10.1%
Heating equipment breakdowns	1.3%	2.3%	1.2%	1.9%	1.6%	3.2%	21.8%	31.2%	0.6%	4.1%	2.5%	3.8%	3.2%	-
Other causes	2.7%	5.9%	1.5%	5.5%	4.2%	6.7%	8.9%	11.0%	4.4%	15.4%	3.9%	8.0%	3.5%	6.0%
Utility interruption	0.1%	1.9%	<0.1%	2.3%	0.3%	1.1%	5.5%	1.5%	<0.1%	1.9%	1.1%	1.6%	<0.1%	1.1%
Inadequate heating capacity	0.3%	1.1%	0.2%	0.7%	0.4%	2.0%	0.6%	3.9%	0.7%	5.4%	0.3%	2.2%	0.8%	1.7%
Inadequate insulation	0.7%	1.1%	0.3%	0.7%	1.2%	1.8%	6.7%	3.1%	<0.1%	5.0%	1.3%	2.0%	0.3%	1.4%
Cost of heating	1.0%	-	0.4%	1.0%	1.8%	1.1%	<0.1%	1.7%	2.7%	-	1.5%	-	2.1%	0.8%
Other	0.9%	1.3%	0.7%	1.2%	1.1%	1.6%	7.2%	3.5%	1.0%	3.2%	1.9%	-	0.5%	1.6%

---

**SELECTED PHYSICAL PROBLEMS**

Severe Physical Problems(,000)	22	2,103	6	907	16	1,196	22	2,103	.	.	3	522	1	909
Severe physical problems	2.2%	-	1.0%	-	3.8%	-	100%	-	.	.	2.7%	3.3%	0.8%	2.7%
Plumbing	1.7%	1.2%	0.8%	-	3.0%	2.1%	78.0%	-	.	.	0.9%	2.1%	0.4%	1.8%
Heating	0.5%	-	0.2%	-	0.8%	-	21.8%	28.6%	.	.	1.6%	1.1%	0.4%	0.8%
Electric	<0.1%	0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	3.1%	.	.	<0.1%	0.1%	<0.1%	-
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%
Upkeep	0.2%	-	<0.1%	-	0.3%	-	7.2%	2.5%	.	.	1.2%	0.1%	<0.1%	0.1%
Moderate Physical Problems(,000)	58	4,126	7	1,568	50	2,558	.	.	58	4,126	7	1,170	11	1,628
Moderate physical problems	5.8%	3.6%	1.3%	2.1%	12.1%	6.6%	.	.	100%	-	6.7%	-	12.0%	4.9%
Plumbing	<0.1%	-	<0.1%	-	<0.1%	0.4%	.	.	0.4%	5.2%	<0.1%	0.4%	<0.1%	0.3%
Heating	0.3%	0.9%	0.5%	0.8%	0.1%	1.1%	.	.	5.4%	25.2%	0.1%	2.1%	0.1%	0.7%
Upkeep	5.0%	1.6%	0.7%	-	11.0%	3.7%	.	.	86.3%	44.4%	5.2%	2.9%	11.6%	2.6%
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%
Kitchen	0.5%	1.0%	0.1%	0.7%	0.9%	1.7%	.	.	8.2%	28.2%	1.3%	2.3%	0.3%	1.6%

---

---

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
OVERALL OPINION OF STRUCTURE														
1(worst)	0.6%	-	0.6%	0.3%	0.6%	1.1%	6.7%	3.4%	1.1%	3.0%	1.4%	-	0.3%	0.7%
2	0.2%	-	<0.1%	-	0.5%	-	<0.1%	1.9%	<0.1%	1.6%	0.1%	0.9%	<0.1%	0.5%
3	0.1%	0.7%	<0.1%	0.4%	0.2%	1.2%	0.6%	3.5%	0.2%	2.9%	0.2%	1.6%	<0.1%	1.0%
4	0.4%	1.0%	0.4%	-	0.5%	1.8%	1.1%	2.7%	0.9%	3.3%	0.4%	1.9%	0.6%	1.2%
5	3.5%	4.7%	2.6%	3.3%	4.7%	7.5%	4.9%	9.6%	5.5%	11.8%	3.6%	8.6%	6.7%	-
6	4.9%	-	2.0%	3.7%	8.7%	-	9.4%	7.1%	7.5%	10.5%	4.3%	6.4%	8.5%	6.2%
7	13.5%	-	10.5%	-	17.5%	-	14.7%	-	11.4%	15.5%	17.8%	-	12.7%	16.1%
8	30.1%	-	27.6%	-	33.5%	-	43.6%	21.2%	31.3%	21.9%	25.4%	-	28.3%	-
9	17.9%	-	21.6%	-	12.8%	-	10.8%	-	14.6%	10.6%	13.8%	-	18.6%	-
10(best)	28.8%	-	34.6%	-	21.1%	-	8.3%	23.0%	27.4%	19.0%	33.0%	-	24.2%	-

---

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSDData.aspx> for more info.