

**American Housing Survey - Selected Elements Related to Healthy Homes  
2011 Oakland, CA and 2011 National**

**National statistic only reported if Metropolitan Statistical Area (MSA) is  $\geq 20\%$ (relative) and 0.25% (absolute) different from national (otherwise "-" is listed).**

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City		
	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	
Total Occupied Units(,000)	907	114,907	522	76,091	385	38,816	15	2,103	33	4,126	101	16,060	213	33,161	
<b>GENERAL</b>															
Owner occupied(,000)		76,091		76,091		.		907		1,568		6,166		16,552	
Renter occupied(,000)		38,816		.		38,816		1,196		2,558		9,894		16,609	
Owner occupied		66.2%		100%		<0.1%		43.1%		38.0%		38.4%		49.9%	
Renter occupied		33.8%		<0.1%		100%		56.9%		62.0%		61.6%		50.1%	
<hr/>															
<b>Units in Structure</b>															
1, detached	59.9%	-	82.8%	-	28.9%	-	34.8%	44.3%	28.3%	39.6%	43.0%	-	48.4%	-	
1, attached	7.4%	5.9%	7.3%	5.4%	7.6%	-	0.9%	5.1%	1.1%	3.4%	5.1%	-	4.3%	7.9%	
2 to 4	10.5%	7.8%	4.1%	1.9%	19.1%	-	17.9%	-	21.0%	-	18.4%	13.6%	13.7%	-	
5 to 9	6.6%	4.7%	1.5%	0.8%	13.5%	-	12.9%	6.9%	17.3%	10.3%	8.3%	-	8.8%	-	
10 to 19	4.3%	-	1.0%	0.7%	8.8%	11.6%	14.1%	8.1%	12.7%	7.3%	6.7%	-	7.0%	-	
20 to 49	4.5%	3.2%	0.3%	0.5%	10.3%	-	11.5%	6.5%	8.1%	-	6.7%	-	9.6%	6.1%	
50 or more	5.3%	3.6%	1.2%	1.0%	10.9%	-	7.9%	-	11.5%	7.0%	9.6%	6.1%	8.2%	-	
Manufactured /mobile home or trailer	1.4%	6.3%	1.8%	7.5%	0.9%	3.9%	<0.1%	7.4%	<0.1%	7.8%	2.1%	10.3%	<0.1%	1.3%	
<hr/>															
<b>Year Structure Built</b>															
Post-2000	5.8%	13.8%	5.9%	15.6%	5.7%	10.2%	1.9%	5.0%	6.6%	4.4%	3.0%	9.3%	8.5%	10.9%	
Post-1980	25.7%	38.7%	28.0%	42.1%	22.6%	32.2%	17.7%	-	20.6%	-	22.5%	31.1%	19.1%	27.7%	
Pre-1980	74.3%	-	72.0%	-	77.4%	-	82.3%	-	79.4%	-	77.5%	-	80.9%	-	
Pre-1960	38.8%	30.9%	39.5%	29.5%	37.9%	-	41.6%	-	53.2%	-	44.2%	34.6%	63.4%	42.7%	
Pre-1940	15.0%	-	15.1%	-	14.8%	18.5%	20.5%	27.4%	28.8%	-	17.0%	-	32.8%	22.6%	

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Foundation (for 1-unit not manufactured)														
1-Unit not manufactured(,000)	611	80,505	470	66,752	141	13,753	5	1,040	10	1,772	49	7,844	112	18,949
With a basement under all of house	4.6%	32.7%	5.0%	34.4%	3.3%	24.0%	<0.1%	32.2%	<0.1%	22.1%	5.3%	27.3%	15.8%	31.9%
With a basement under part of house	5.3%	10.6%	6.0%	11.3%	3.0%	7.2%	3.3%	7.9%	1.5%	8.7%	4.2%	7.3%	11.4%	8.1%
With a crawl space	53.2%	22.1%	56.0%	21.4%	43.7%	25.3%	48.3%	24.1%	64.4%	40.2%	48.7%	25.9%	46.1%	20.2%
On a concrete slab	35.3%	-	31.7%	-	47.1%	-	45.8%	29.7%	16.2%	23.7%	40.4%	-	25.7%	38.2%
In some other way	1.6%	-	1.3%	-	2.8%	-	2.6%	6.1%	17.9%	5.3%	1.5%	3.2%	1.0%	1.6%
<hr/>														
<b>EXTERIOR</b>														
External Building Conditions(non multiunit)														
Sagging roof	1.6%	2.0%	1.7%	-	1.5%	2.9%	<0.1%	9.0%	5.9%	11.4%	5.0%	3.8%	1.1%	2.4%
Missing roofing material	2.8%	3.6%	2.4%	3.4%	4.2%	-	<0.1%	9.9%	23.0%	14.3%	7.6%	5.8%	2.2%	3.8%
Hole in roof	0.9%	1.5%	0.6%	1.3%	1.8%	2.4%	<0.1%	7.6%	6.9%	11.9%	1.6%	3.4%	0.1%	1.9%
Missing bricks, siding, other outside wall material	2.1%	2.5%	1.6%	2.2%	3.7%	-	<0.1%	10.7%	25.0%	14.2%	5.7%	-	3.7%	-
Sloping outside walls	1.1%	-	0.9%	-	1.9%	-	<0.1%	5.9%	4.9%	8.4%	0.9%	2.3%	2.6%	1.5%
Boarded up windows	1.1%	-	0.9%	-	1.9%	-	<0.1%	4.5%	4.6%	6.1%	3.9%	2.6%	0.8%	1.5%
Broken windows	3.1%	4.2%	2.9%	3.7%	4.1%	6.6%	2.8%	14.1%	11.7%	18.1%	9.3%	-	6.4%	4.8%
Bars on windows	6.6%	2.9%	6.2%	2.7%	7.7%	3.8%	2.8%	4.2%	4.7%	7.5%	9.7%	4.8%	20.9%	8.9%
Foundation crumbling or has open crack or hole	4.7%	-	4.8%	-	4.2%	6.8%	2.8%	15.0%	28.6%	18.5%	8.9%	-	3.3%	6.4%
None of the above	81.4%	-	81.8%	-	79.9%	-	94.4%	64.2%	50.4%	-	68.6%	-	70.8%	-
None of the above(excluding bars)	86.5%	-	87.1%	-	84.7%	-	97.2%	66.3%	50.4%	-	75.4%	-	86.3%	-
Water Leakage During Last 12 Months														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
With leakage from outside structure	7.5%	11.0%	6.7%	11.5%	8.7%	-	12.0%	17.4%	30.0%	-	11.2%	-	10.4%	-
Roof	4.4%	5.7%	4.2%	6.1%	4.6%	-	<0.1%	10.0%	12.8%	16.8%	6.4%	-	5.0%	-
Basement leak	0.3%	2.8%	0.2%	3.4%	0.5%	1.4%	<0.1%	2.5%	<0.1%	5.1%	1.4%	1.9%	1.0%	2.6%
Walls, closed windows, or doors leak	1.7%	2.2%	0.9%	1.8%	2.9%	-	2.0%	4.7%	14.5%	8.9%	3.2%	-	3.3%	-
Other or Unknown exterior Leak	1.6%	1.2%	1.7%	1.1%	1.4%	-	10.0%	2.9%	5.8%	3.3%	0.4%	1.3%	1.5%	-
<hr/>														
<b>INTERIOR</b>														
<b>Damage</b>														
Holes in floors	1.0%	-	0.7%	-	1.4%	-	1.0%	7.2%	7.7%	9.9%	2.3%	-	1.8%	1.3%
Open cracks or holes	5.2%	-	4.4%	-	6.3%	-	4.3%	18.1%	21.6%	29.9%	8.9%	-	7.1%	-
Broken plaster or peeling paint	1.8%	-	1.4%	-	2.4%	3.1%	1.0%	8.3%	21.4%	-	5.7%	3.4%	3.2%	-
<hr/>														
<b>Water Leakage During Last 12 Months</b>														
With leakage from inside structure	8.1%	-	7.1%	-	9.4%	-	12.2%	16.2%	22.8%	-	7.6%	11.0%	7.5%	10.0%
Fixtures backed up or overflowed	2.7%	1.9%	2.3%	1.7%	3.3%	2.3%	10.2%	4.9%	8.0%	-	5.6%	2.2%	2.4%	-
Pipes leaked	2.7%	3.6%	2.2%	2.9%	3.3%	4.9%	2.0%	8.4%	9.7%	12.5%	1.4%	5.1%	2.3%	4.5%
Broken water heater	0.8%	-	0.8%	-	0.8%	-	<0.1%	1.4%	5.6%	2.0%	1.9%	1.0%	1.8%	0.7%
Other or Unknown	2.4%	-	1.9%	-	3.0%	3.6%	<0.1%	3.2%	5.5%	-	0.8%	3.0%	1.9%	2.9%
<hr/>														
<b>Rodents</b>														
Signs of rats in last 3 mon.	2.1%	1.0%	2.8%	0.9%	1.1%	-	1.8%	3.3%	1.0%	3.6%	1.2%	1.8%	3.1%	1.4%
Signs of mice in last 3 mon.	6.5%	11.1%	7.2%	11.7%	5.5%	10.0%	3.0%	17.7%	8.7%	20.0%	5.9%	12.5%	4.7%	9.9%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Signs of rodents, not sure which kind in last 3 mon.	0.9%	0.6%	0.9%	0.5%	0.9%	-	<0.1%	1.5%	1.4%	-	0.3%	1.0%	0.7%	-
<hr/>														
<b>Electrical</b>														
No electrical wiring	0.4%	-	0.1%	-	0.8%	0.2%	<0.1%	3.2%	<0.1%	0.1%	1.5%	0.3%	0.8%	0.1%
Exposed wiring	1.2%	1.6%	0.9%	1.3%	1.6%	2.1%	<0.1%	6.2%	11.2%	3.9%	0.7%	2.5%	2.3%	1.6%
Rooms without electric outlets	0.5%	0.8%	0.2%	0.6%	0.9%	1.2%	<0.1%	6.5%	<0.1%	2.2%	1.5%	-	0.9%	-
Fuses/breakers blown in last 3 mon.	8.1%	-	9.4%	-	6.4%	9.4%	5.2%	14.7%	5.1%	15.1%	6.4%	9.1%	5.9%	9.6%
<hr/>														
<b>Sanitation</b>														
Lacking complete kitchen facilities	2.5%	1.7%	0.8%	0.6%	4.9%	-	6.6%	8.4%	68.0%	44.4%	4.4%	3.3%	4.8%	2.8%
Lacking some or all plumbing facilities	1.2%	-	0.4%	0.8%	2.3%	-	71.6%	-	<0.1%	0.0%	2.1%	-	1.3%	1.8%
Water not safe to drink	9.6%	-	8.0%	6.2%	11.7%	-	15.0%	-	11.0%	14.9%	11.1%	-	10.0%	-
Water stoppage in last 3 mon.	2.6%	4.0%	1.8%	3.5%	3.6%	5.1%	5.0%	8.3%	5.2%	9.4%	3.8%	4.8%	3.1%	4.0%
No flush toilets working some time in last 3 mon.	2.1%	-	1.2%	-	3.5%	-	2.0%	5.7%	15.1%	9.8%	3.3%	-	2.8%	-
With sewage disposal breakdowns in last 3 mon.	1.4%	-	1.2%	-	1.7%	-	<0.1%	3.7%	11.2%	5.0%	3.7%	2.0%	1.8%	-
Septic tank, cesspool, chemical toilet	0.8%	19.6%	1.2%	25.7%	0.2%	7.5%	<0.1%	15.6%	<0.1%	16.1%	0.5%	14.7%	0.2%	1.3%
With septic tank or cesspool breakdowns in last 3 mon.	<0.1%	0.3%	<0.1%	0.3%	<0.1%	0.2%	<0.1%	0.8%	<0.1%	0.8%	<0.1%	0.4%	<0.1%	-
<hr/>														
<b>HEATING/FUEL</b>														
<b>Main Heating Equipment</b>														
Warm-air furnace	70.0%	-	82.8%	-	52.7%	-	66.7%	47.8%	45.7%	-	48.1%	-	61.2%	-
Steam or hot water system	2.0%	11.0%	0.9%	9.7%	3.6%	13.5%	4.7%	18.6%	0.9%	14.0%	6.4%	10.9%	5.0%	15.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Electric heat pump	0.7%	11.8%	0.7%	12.9%	0.7%	9.6%	<0.1%	7.1%	<0.1%	4.8%	<0.1%	9.7%	0.1%	8.5%
Built-in electric units	4.4%	-	1.7%	2.6%	8.0%	-	1.8%	5.2%	12.6%	5.6%	3.6%	5.9%	5.8%	3.9%
Floor, wall, or other built-in hot air without ducts	19.3%	3.9%	10.8%	2.4%	30.9%	6.9%	12.5%	7.0%	32.7%	5.6%	37.0%	6.7%	21.5%	5.2%
Room heaters with flue	1.6%	0.8%	0.7%	-	2.7%	1.0%	10.0%	1.1%	<0.1%	1.1%	1.6%	-	2.5%	0.6%
Room heaters without flue	0.2%	1.0%	0.2%	0.8%	0.2%	1.2%	<0.1%	2.5%	5.8%	25.2%	0.3%	2.2%	0.7%	-
Portable electric heaters	0.8%	1.2%	1.0%	-	0.6%	1.8%	2.1%	3.9%	0.5%	2.0%	0.5%	3.0%	1.7%	-
Stoves	0.1%	0.9%	0.1%	1.2%	<0.1%	0.5%	<0.1%	4.0%	0.4%	1.0%	0.1%	1.2%	<0.1%	0.1%
Fireplace with inserts	<0.1%	-	0.1%	-	<0.1%	<0.1%	1.2%	0.1%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	<0.1%
Fireplace without inserts	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	0.2%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	<0.1%
Other	0.3%	-	0.3%	-	0.3%	-	<0.1%	1.1%	0.9%	0.3%	0.4%	-	0.5%	-
No heating equipment	0.4%	-	0.6%	0.3%	0.1%	0.7%	0.9%	1.1%	<0.1%	0.7%	1.6%	0.6%	1.0%	-
Cooking stove	<0.1%	-	<0.1%	<0.1%	0.1%	-	<0.1%	0.2%	0.4%	-	0.3%	-	0.1%	-
<hr/>														
<b>Water Heating Fuel</b>														
Electricity	10.3%	41.3%	3.8%	39.0%	19.1%	45.7%	1.2%	38.7%	21.3%	39.0%	12.9%	46.9%	13.3%	31.9%
Gas, LP/bottled gas	89.5%	54.3%	96.0%	56.6%	80.6%	49.7%	98.8%	53.8%	78.3%	55.2%	87.1%	49.2%	86.4%	62.8%
Fuel oil	<0.1%	4.1%	<0.1%	4.0%	<0.1%	4.3%	<0.1%	6.5%	<0.1%	5.1%	<0.1%	3.6%	<0.1%	5.0%
Kerosene or other liquid fuel	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	-
Other	0.2%	-	0.2%	-	0.3%	-	<0.1%	1.0%	0.5%	-	<0.1%	0.3%	0.3%	-
Clothes Dryer,(000)	669	93,052	490	72,397	179	20,655	4	1,139	16	2,344	51	9,825	126	21,908
Have Clothes Dryer	73.8%	-	93.8%	-	46.5%	-	27.7%	54.2%	48.1%	-	49.9%	61.2%	59.4%	-
Electricity	62.9%	78.1%	60.8%	76.4%	68.9%	84.0%	47.8%	78.9%	67.2%	82.5%	53.2%	82.1%	46.9%	74.3%
Gas, LP gas (liquid propane)	37.1%	21.8%	39.2%	23.5%	31.1%	15.8%	52.2%	21.0%	32.8%	17.5%	46.8%	17.8%	53.1%	25.6%
Other	<0.1%	0.1%	<0.1%	-	<0.1%	0.1%	<0.1%	0.1%	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	0.1%
<hr/>														
<b>Heating Problems</b>														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Uncomfortably cold for 24 hours or more last winter	12.9%	9.1%	11.9%	7.7%	14.4%	-	31.0%	43.7%	24.1%	-	18.4%	13.7%	17.4%	10.1%
Heating equipment breakdowns	2.9%	-	2.4%	1.9%	3.4%	-	28.4%	-	9.6%	4.1%	4.9%	3.8%	3.8%	3.0%
Other causes	8.6%	5.9%	9.0%	5.5%	8.1%	-	1.1%	11.0%	7.2%	15.4%	10.5%	8.0%	11.9%	6.0%
Utility interruption	0.7%	1.9%	1.0%	2.3%	0.3%	1.1%	<0.1%	1.5%	0.9%	1.9%	2.0%	-	0.9%	-
Inadequate heating capacity	2.0%	1.1%	1.4%	0.7%	2.8%	2.0%	1.1%	3.9%	1.8%	5.4%	4.3%	2.2%	3.3%	1.7%
Inadequate insulation	2.1%	1.1%	2.0%	0.7%	2.3%	1.8%	1.1%	3.1%	3.0%	5.0%	1.4%	2.0%	2.2%	1.4%
Cost of heating	2.2%	1.0%	2.8%	1.0%	1.3%	1.1%	<0.1%	1.7%	1.8%	2.8%	2.3%	1.3%	1.2%	0.8%
Other	2.6%	1.3%	2.5%	1.2%	2.8%	1.6%	<0.1%	3.5%	1.5%	3.2%	1.3%	1.8%	6.3%	1.6%

---

**SELECTED PHYSICAL PROBLEMS**

Severe Physical Problems(,000)	15	2,103	5	907	10	1,196	15	2,103	.	.	2	522	4	909
Severe physical problems	1.7%	-	1.0%	-	2.6%	-	100%	-	.	.	2.4%	3.3%	1.8%	2.7%
Plumbing	1.2%	-	0.4%	0.8%	2.3%	-	71.6%	-	.	.	2.1%	-	1.3%	1.8%
Heating	0.5%	-	0.6%	0.3%	0.3%	0.9%	28.4%	-	.	.	0.3%	1.1%	0.5%	0.8%
Electric	<0.1%	0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	3.1%	.	.	<0.1%	0.1%	<0.1%	-
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%
Upkeep	<0.1%	-	<0.1%	-	<0.1%	0.1%	<0.1%	2.5%	.	.	<0.1%	0.1%	<0.1%	0.1%
Moderate Physical Problems(,000)	33	4,126	9	1,568	24	2,558	.	.	33	4,126	7	1,170	15	1,628
Moderate physical problems	3.6%	-	1.7%	2.1%	6.1%	-	.	.	100%	-	6.7%	-	7.0%	4.9%
Plumbing	0.3%	-	0.1%	-	0.5%	-	.	.	7.3%	5.2%	<0.1%	0.4%	0.8%	0.3%
Heating	0.2%	0.9%	0.2%	0.8%	0.2%	1.1%	.	.	5.8%	25.2%	0.3%	2.1%	0.7%	-
Upkeep	2.4%	1.6%	0.8%	0.5%	4.6%	3.7%	.	.	68.0%	44.4%	4.0%	2.9%	4.4%	2.6%
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%
Kitchen	0.7%	1.0%	0.6%	-	0.8%	1.7%	.	.	19.3%	28.2%	2.5%	-	1.1%	1.6%

---

---

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
OVERALL OPINION OF STRUCTURE														
1(worst)	0.5%	-	0.3%	-	0.8%	1.1%	1.0%	3.4%	5.2%	3.0%	2.7%	1.5%	0.5%	-
2	0.2%	-	0.1%	-	0.2%	0.7%	<0.1%	1.9%	0.9%	1.6%	0.6%	0.9%	0.1%	0.5%
3	0.3%	0.7%	0.1%	0.4%	0.6%	1.2%	1.9%	3.5%	0.5%	2.9%	0.6%	1.6%	0.4%	1.0%
4	1.1%	-	0.2%	0.6%	2.3%	1.8%	1.2%	2.7%	1.4%	3.3%	1.9%	-	1.9%	1.2%
5	4.7%	-	3.0%	-	6.8%	-	2.1%	9.6%	14.0%	-	7.0%	8.6%	6.4%	-
6	4.9%	-	3.1%	-	7.3%	-	1.0%	7.1%	1.7%	10.5%	5.1%	6.4%	4.7%	6.2%
7	14.9%	-	13.3%	-	17.1%	-	12.6%	16.5%	16.6%	-	10.8%	14.5%	16.1%	-
8	30.3%	-	31.8%	-	28.3%	-	49.2%	21.2%	17.5%	21.9%	26.9%	-	30.3%	-
9	16.6%	-	17.1%	-	15.9%	12.7%	24.0%	11.1%	18.8%	10.6%	17.4%	11.3%	17.6%	-
10(best)	26.6%	-	30.9%	-	20.6%	-	7.0%	23.0%	23.4%	-	27.0%	-	22.1%	-

---

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSDData.aspx> for more info.