

**American Housing Survey - Selected Elements Related to Healthy Homes
Fort Worth-Arlington, TX in 2011 and 2002**

2002 is only reported if >=5% (relative) and 0.1% (absolute) different from 2011 (otherwise "-" is listed).

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002
Total Occupied Units(,000)	786	586	491	393	295	193	9	8	27	42	92	61	268	190
GENERAL														
Owner occupied(,000)	491	393	491	393	.	.	2	3	7	21	38	23	154	116
Renter occupied(,000)	295	193	.	.	295	193	7	5	20	22	54	39	114	75
Owner occupied	62.5%	67.0%	100%	-	.	.	25.6%	36.0%	26.0%	48.9%	41.4%	37.3%	57.4%	60.8%
Renter occupied	37.5%	33.0%	.	.	100%	-	74.4%	64.0%	74.0%	51.1%	58.6%	62.7%	42.6%	39.2%
Units in Structure														
1, detached	69.6%	-	93.4%	-	30.0%	25.7%	60.8%	51.6%	46.0%	71.5%	52.3%	45.7%	70.0%	-
1, attached	4.2%	9.1%	1.1%	-	9.4%	24.3%	3.2%	8.3%	0.6%	5.0%	3.1%	16.4%	6.8%	14.6%
2 to 4	4.7%	-	0.1%	-	12.3%	10.3%	2.4%	-	22.1%	5.5%	8.6%	6.8%	7.6%	4.2%
5 to 9	5.6%	4.3%	0.1%	-	14.7%	12.6%	1.0%	10.9%	6.6%	5.8%	12.0%	7.8%	4.5%	-
10 to 19	7.0%	5.6%	0.4%	-	17.9%	16.4%	23.9%	16.4%	8.0%	-	11.1%	8.3%	5.7%	3.5%
20 to 49	3.7%	-	0.1%	-	9.5%	6.8%	4.1%	8.3%	14.2%	1.9%	4.2%	-	2.9%	-
50 or more	1.1%	-	0.1%	-	2.9%	-	<0.1%	2.8%	<0.1%	0.3%	0.6%	-	1.8%	-
Manufactured /mobile home or trailer	4.2%	-	4.7%	5.5%	3.2%	-	4.5%	-	2.4%	-	8.1%	9.1%	0.6%	-
Year Structure Built														
Post-2000	20.9%	5.4%	26.3%	6.6%	11.8%	3.2%	1.6%	-	2.6%	-	12.6%	0.6%	30.0%	3.3%
Post-1980	58.9%	48.6%	60.0%	48.7%	57.0%	48.5%	34.4%	27.1%	22.7%	12.0%	41.2%	25.3%	49.3%	33.3%
Pre-1980	41.1%	51.4%	40.0%	51.3%	43.0%	51.5%	65.6%	72.9%	77.3%	88.0%	58.8%	74.7%	50.7%	66.7%
Pre-1960	13.7%	21.6%	13.9%	22.1%	13.4%	20.7%	26.3%	33.7%	37.4%	64.8%	24.0%	41.3%	26.5%	43.1%
Pre-1940	3.1%	5.2%	2.5%	-	4.0%	6.6%	13.9%	7.9%	10.4%	26.7%	6.4%	11.3%	7.3%	12.5%

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002
	Foundation (for 1-unit not manufactured)													
1-Unit not manufactured(,000)	580	463	464	367	116	97	6	5	13	32	51	38	206	163
With a basement under all of house	0.1%	-	0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	0.1%	-
With a basement under part of house	0.5%	-	0.6%	-	0.1%	-	<0.1%	-	<0.1%	-	0.3%	-	1.2%	-
With a crawl space	9.0%	19.9%	8.5%	18.5%	11.1%	25.1%	17.4%	37.5%	36.8%	69.0%	15.3%	42.6%	15.3%	35.6%
On a concrete slab	88.4%	78.2%	88.8%	79.4%	87.0%	73.4%	79.1%	57.4%	57.5%	28.4%	82.2%	55.3%	80.6%	61.6%
In some other way	2.0%	-	2.1%	-	1.8%	-	3.4%	5.1%	5.7%	2.6%	2.2%	-	2.8%	-
<hr/>														
EXTERIOR														
External Building Conditions(non multiunit)														
Sagging roof	3.1%	-	2.8%	-	4.1%	7.9%	5.1%	14.0%	14.3%	20.7%	2.8%	11.4%	3.2%	-
Missing roofing material	3.7%	-	3.4%	-	4.6%	5.3%	32.3%	11.9%	7.5%	14.3%	3.1%	7.3%	2.8%	-
Hole in roof	1.2%	-	1.1%	-	1.4%	5.3%	5.3%	13.2%	7.3%	14.0%	1.5%	7.2%	1.1%	-
Missing bricks, siding, other outside wall material	2.1%	-	1.7%	-	3.3%	8.2%	5.1%	14.0%	12.4%	24.3%	5.0%	11.2%	1.8%	5.4%
Sloping outside walls	1.3%	-	1.0%	-	2.5%	5.6%	11.4%	9.3%	11.3%	13.7%	2.2%	9.8%	1.0%	-
Boarded up windows	0.5%	-	0.3%	-	1.2%	-	8.3%	9.8%	4.5%	-	1.7%	5.4%	0.6%	-
Broken windows	4.1%	5.3%	4.1%	-	4.1%	8.5%	20.8%	26.3%	17.3%	21.9%	6.7%	12.4%	3.9%	6.2%
Bars on windows	2.8%	-	2.0%	-	6.0%	3.2%	<0.1%	20.5%	10.8%	8.0%	7.4%	8.7%	6.9%	6.5%
Foundation crumbling or has open crack or hole	7.7%	3.9%	8.2%	3.6%	6.0%	5.3%	40.0%	12.2%	15.6%	11.5%	3.8%	7.3%	5.9%	3.9%
None of the above	80.9%	-	81.6%	-	78.1%	-	45.3%	49.7%	56.6%	46.7%	77.9%	65.5%	79.5%	-
None of the above(excluding bars)	83.1%	-	83.2%	-	83.0%	77.6%	45.3%	58.7%	61.0%	49.7%	83.7%	70.2%	85.3%	-

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002
	Water Leakage During Last 12 Months													
With leakage from outside structure	6.5%	10.3%	6.3%	10.1%	6.9%	10.7%	30.4%	40.8%	31.1%	26.3%	7.3%	13.6%	7.8%	10.9%
Roof	4.6%	7.3%	4.8%	7.6%	4.4%	6.6%	12.2%	32.1%	19.3%	21.7%	4.7%	10.7%	6.3%	8.2%
Basement leak	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-
Walls, closed windows, or doors leak	0.7%	-	0.7%	-	0.8%	-	1.1%	10.3%	4.3%	5.6%	0.9%	-	0.9%	-
Other or Unknown exterior Leak	1.2%	-	0.8%	-	1.8%	-	18.2%	9.4%	9.9%	3.6%	2.3%	-	1.0%	-
<hr/>														
INTERIOR														
Damage														
Holes in floors	1.1%	-	1.0%	-	1.4%	-	25.9%	5.5%	5.5%	9.7%	1.5%	-	0.7%	-
Open cracks or holes	6.9%	8.1%	6.9%	7.7%	6.9%	8.9%	31.8%	14.7%	26.8%	28.8%	7.5%	12.1%	7.7%	-
Broken plaster or peeling paint	1.2%	-	0.9%	-	1.8%	-	11.0%	-	9.4%	18.0%	1.9%	6.5%	1.7%	-
<hr/>														
Water Leakage During Last 12 Months														
With leakage from inside structure	8.1%	13.2%	6.3%	12.0%	11.1%	15.7%	14.9%	28.2%	30.6%	23.5%	15.9%	-	8.2%	10.1%
Fixtures backed up or overflowed	1.5%	-	1.8%	-	0.9%	5.9%	2.1%	19.5%	1.0%	8.1%	0.9%	6.7%	1.5%	-
Pipes leaked	3.5%	5.2%	3.1%	-	4.1%	7.5%	9.2%	5.9%	6.6%	11.7%	5.9%	9.2%	3.0%	-
Broken water heater	0.7%	-	0.8%	-	0.5%	-	4.7%	9.1%	0.3%	-	0.6%	-	0.7%	-
Other or Unknown	2.9%	-	1.2%	-	5.6%	4.7%	2.8%	8.1%	22.9%	7.3%	8.8%	2.8%	3.8%	-
<hr/>														
Rodents														
Signs of rats in last 3 mon.	1.8%	-	2.1%	-	1.4%	-	0.9%	12.3%	6.8%	9.0%	3.7%	-	1.1%	-

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002
Signs of mice in last 3 mon.	4.8%	-	5.2%	4.3%	4.0%	-	22.7%	10.5%	6.1%	11.7%	3.4%	6.4%	6.0%	4.6%
Signs of rodents, not sure which kind in last 3 mon.	0.8%	-	0.9%	-	0.7%	-	6.2%	<0.1%	1.3%	-	1.4%	-	0.4%	-
<hr/>														
Electrical														
No electrical wiring	0.3%	-	0.4%	-	<0.1%	-	<0.1%	3.7%	<0.1%	0.4%	<0.1%	-	<0.1%	-
Exposed wiring	1.1%	-	0.5%	-	2.0%	-	22.2%	6.3%	2.1%	-	3.3%	-	1.4%	-
Rooms without electric outlets	0.9%	-	0.8%	-	1.1%	-	2.2%	6.6%	0.6%	-	0.4%	-	0.2%	-
Fuses/breakers blown in last 3 mon.	9.1%	12.8%	10.0%	14.5%	7.5%	9.5%	20.3%	21.8%	13.4%	18.3%	9.9%	11.0%	11.0%	12.0%
<hr/>														
Sanitation														
Lacking complete kitchen facilities	1.0%	-	0.1%	-	2.6%	-	1.4%	19.2%	29.3%	19.6%	1.2%	-	1.1%	-
Lacking some or all plumbing facilities	0.5%	-	0.1%	-	1.2%	-	46.4%	53.4%	<0.1%	-	1.2%	-	0.5%	-
Water not safe to drink	7.1%	12.7%	5.8%	10.8%	9.4%	16.6%	32.1%	22.4%	27.1%	23.7%	15.6%	17.3%	10.2%	14.0%
Water stoppage in last 3 mon.	3.6%	5.6%	2.5%	-	5.4%	8.5%	10.3%	14.1%	8.7%	9.4%	4.2%	6.9%	5.5%	-
No flush toilets working some time in last 3 mon.	1.9%	-	1.1%	-	3.2%	5.5%	7.3%	12.1%	13.5%	8.3%	2.6%	7.5%	1.6%	-
With sewage disposal breakdowns in last 3 mon.	1.1%	-	0.7%	-	1.8%	-	2.5%	-	4.9%	5.9%	1.9%	-	0.9%	-
Septic tank, cesspool, chemical toilet	4.9%	5.3%	6.3%	6.8%	2.7%	-	8.3%	2.2%	4.8%	6.3%	3.0%	6.7%	0.4%	-
With septic tank or cesspool breakdowns in last 3 mon.	0.3%	-	0.1%	-	0.7%	-	<0.1%	-	<0.1%	1.0%	<0.1%	0.4%	<0.1%	-
<hr/>														
HEATING/FUEL														
Main Heating Equipment														
Warm-air furnace	81.1%	76.2%	82.2%	-	79.3%	69.8%	73.6%	66.6%	40.5%	26.0%	72.1%	63.4%	79.8%	69.2%

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002
Steam or hot water system	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-
Electric heat pump	12.4%	13.7%	13.1%	12.5%	11.2%	16.1%	9.6%	15.1%	12.5%	9.3%	10.3%	-	7.1%	10.4%
Built-in electric units	0.3%	-	0.1%	-	0.6%	-	<0.1%	-	<0.1%	-	<0.1%	0.2%	0.9%	-
Floor, wall, or other built-in hot air without ducts	1.6%	-	1.2%	-	2.1%	-	1.9%	-	<0.1%	1.7%	5.8%	3.9%	3.3%	-
Room heaters with flue	0.3%	-	0.2%	-	0.5%	-	4.8%	-	<0.1%	-	1.0%	-	0.4%	-
Room heaters without flue	1.6%	-	0.9%	-	2.7%	5.5%	2.9%	-	44.7%	58.0%	3.9%	9.3%	3.5%	8.6%
Portable electric heaters	2.3%	-	1.6%	-	3.3%	-	6.3%	-	1.7%	-	5.7%	7.4%	4.5%	-
Stoves	0.1%	-	0.2%	-	<0.1%	-	<0.1%	-	<0.1%	0.5%	0.2%	-	<0.1%	-
Fireplace without inserts	0.1%	-	0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	0.4%	<0.1%	-
Other	0.1%	-	<0.1%	-	0.1%	-	<0.1%	1.3%	0.5%	-	0.4%	-	0.1%	-
No heating equipment	0.1%	-	0.1%	-	0.1%	-	0.9%	7.0%	<0.1%	-	0.4%	-	0.1%	-
Cooking stove	0.1%	-	0.1%	-	0.1%	-	<0.1%	-	<0.1%	-	0.3%	-	0.2%	-
<hr/>														
Water Heating Fuel														
Electricity	60.8%	55.5%	50.5%	-	78.0%	70.5%	70.8%	44.5%	48.5%	25.9%	60.4%	49.4%	50.2%	44.5%
Gas, LP/bottled gas	39.0%	44.1%	49.5%	-	21.4%	28.7%	29.2%	50.0%	51.5%	73.7%	37.8%	49.4%	49.8%	55.2%
Other	0.2%	-	<0.1%	0.2%	0.6%	-	<0.1%	5.4%	<0.1%	0.4%	1.8%	-	<0.1%	0.4%
<hr/>														
Clothes Dryer(,000)	659	476	475	370	184	106	6	3	14	23	58	32	211	138
Have Clothes Dryer	83.8%	-	96.7%	-	62.3%	54.9%	67.7%	37.9%	50.1%	54.0%	62.7%	51.5%	78.7%	72.2%
Electricity	94.3%	-	92.9%	-	98.0%	-	93.0%	100%	96.1%	89.6%	90.7%	-	94.0%	-
Gas, LP gas (liquid propane)	5.7%	6.4%	7.1%	7.8%	1.9%	-	7.0%	0.1%	3.9%	9.6%	9.3%	5.4%	5.9%	7.7%
Other	<0.1%	-	<0.1%	-	0.1%	-	<0.1%	-	<0.1%	0.9%	<0.1%	-	0.1%	-
<hr/>														
Heating Problems														
Uncomfortably cold for 24 hours or more last winter	9.4%	5.8%	8.4%	4.9%	11.8%	7.9%	71.7%	57.9%	19.4%	13.6%	10.2%	11.1%	11.6%	6.5%

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002	2011	2002
Heating equipment breakdowns	2.0%	-	1.9%	-	2.3%	-	49.4%	43.8%	0.3%	-	3.6%	-	2.2%	-
Other causes	6.4%	3.0%	6.4%	2.9%	6.4%	3.1%	33.4%	9.1%	15.2%	9.4%	4.5%	5.6%	7.8%	3.1%
Utility interruption	2.8%	-	3.8%	-	1.0%	-	3.8%	-	2.2%	-	1.2%	-	2.9%	-
Inadequate heating capacity	0.9%	-	0.6%	-	1.4%	-	1.1%	-	9.8%	4.2%	1.0%	-	1.4%	-
Inadequate insulation	1.8%	-	1.1%	-	2.9%	-	18.3%	5.9%	5.2%	4.3%	1.3%	-	2.2%	-
Cost of heating	0.4%	-	0.4%	-	0.4%	-	4.7%	-	<0.1%	2.2%	0.9%	-	0.2%	-
Other	0.9%	-	0.7%	-	1.0%	-	5.6%	6.8%	1.7%	-	0.6%	-	1.2%	-

SELECTED PHYSICAL PROBLEMS

Severe Physical Problems(,000)	9	8	2	3	7	5	9	8	.	.	2	3	2	4
Severe physical problems	1.1%	-	0.5%	-	2.2%	-	100%	-	.	.	1.9%	-	0.7%	-
Plumbing	0.5%	-	0.1%	-	1.2%	-	46.4%	53.4%	.	.	1.2%	-	0.5%	-
Heating	0.5%	-	0.3%	-	1.0%	-	47.0%	42.5%	.	.	0.5%	-	0.1%	-
Electric	<0.1%	-	<0.1%	-	<0.1%	-	1.1%	-	.	.	0.1%	-	<0.1%	-
Hallways	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	-	.	.	<0.1%	-	<0.1%	-
Upkeep	0.1%	-	0.1%	-	0.1%	-	5.7%	6.1%	.	.	0.1%	-	0.1%	-
Moderate Physical Problems(,000)	27	42	7	21	20	22	.	.	27	42	8	9	17	24
Moderate physical problems	3.5%	7.2%	1.4%	5.3%	6.8%	11.2%	.	.	100%	-	8.2%	15.0%	6.1%	12.6%
Plumbing	0.4%	-	0.1%	-	0.8%	-	.	.	11.1%	4.2%	0.6%	-	0.7%	-
Heating	1.6%	-	0.9%	-	2.6%	5.5%	.	.	44.7%	58.0%	3.8%	9.3%	3.4%	8.6%
Upkeep	1.0%	-	0.1%	-	2.6%	-	.	.	29.3%	19.6%	1.2%	-	1.1%	-
Hallways	<0.1%	-	<0.1%	-	<0.1%	0.3%	.	.	<0.1%	1.3%	<0.1%	0.2%	<0.1%	0.2%
Kitchen	0.7%	-	0.4%	-	1.1%	-	.	.	19.4%	24.4%	2.7%	-	1.1%	-

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>2011</i>	<i>2002</i>	<i>2011</i>	<i>2002</i>	<i>2011</i>	<i>2002</i>	<i>2011</i>	<i>2002</i>	<i>2011</i>	<i>2002</i>	<i>2011</i>	<i>2002</i>	<i>2011</i>	<i>2002</i>
OVERALL OPINION OF STRUCTURE														
1(worst)	0.7%	-	0.5%	-	1.0%	-	3.2%	6.7%	3.7%	-	3.2%	-	1.1%	-
2	0.3%	-	0.2%	-	0.5%	-	6.5%	0.1%	1.1%	-	0.9%	-	0.1%	-
3	0.8%	-	0.2%	-	1.7%	-	0.9%	-	7.2%	5.0%	2.8%	-	1.1%	-
4	1.4%	-	0.3%	-	3.3%	-	20.8%	3.7%	3.0%	-	1.3%	-	1.7%	-
5	4.5%	7.8%	3.7%	5.4%	5.9%	12.5%	9.5%	17.2%	7.4%	17.0%	5.7%	17.7%	4.2%	9.0%
6	5.4%	7.6%	4.3%	6.0%	7.3%	11.0%	24.5%	7.3%	16.2%	12.3%	7.3%	5.4%	7.7%	8.8%
7	16.8%	15.5%	13.2%	-	22.6%	19.5%	7.0%	18.9%	18.0%	17.1%	19.8%	13.2%	11.6%	15.7%
8	28.6%	-	28.3%	-	29.2%	27.2%	14.1%	26.9%	21.6%	-	26.5%	24.2%	28.4%	-
9	14.5%	13.8%	17.2%	-	10.0%	8.0%	2.4%	6.6%	9.3%	7.4%	6.3%	11.6%	15.8%	11.9%
10(best)	27.0%	24.1%	32.1%	28.4%	18.4%	15.3%	11.0%	-	12.4%	-	26.1%	20.0%	28.4%	21.7%

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSData.aspx> for more info.